

# INDEX MAPS.

## T. 11 N. R. 9 E. 2<sup>nd</sup> Mer.

	204		204		203		203		203		202	
206	6	228	5	222	4	218	3	214	2	210	1	200
	228		228		222		218		214		210	
206	7	227	8	221	9	218	10	213	11	210	12	202
	227		226		221		217		213		209	
205	18	226	17	221	16	217	15	213	14	209	13	201
	226		225		220		216		212		209	
205	19	225	20	220	21	216	22	212	23	208	24	201
	224		224		220		216		212		208	
205	30	224	29	219	28	215	27	211	26	207	25	201
	223		223		219		215		211		207	
204	31	223	32	219	33	215	34	211	35	207	36	200
	200		200		199		199		199		199	

## T. 12 N. R. 9 E. 2<sup>nd</sup> Mer.

	236		236		236		235		235		235	
238	6	259	5	253	4	250	3	246	2	242	1	234
	<del>259</del>		<del>258</del>		<del>253</del>		<del>249</del>		<del>245</del>		<del>242</del>	
238	7	258	8	253	9	249	10	245	11	241	12	234
	<del>258</del>		<del>257</del>		<del>252</del>		<del>248</del>		<del>245</del>		<del>241</del>	
238	18	257	17	252	16	248	15	245	14	241	13	233
	<del>257</del>		<del>256</del>		<del>252</del>		<del>248</del>		<del>244</del>		<del>241</del>	
237	19	256	20	251	21	247	22	244	23	240	24	233
	<del>256</del>		<del>255</del>		<del>251</del>		<del>247</del>		<del>243</del>		<del>240</del>	
237	30	255	29	251	28	247	27	243	26	240	25	233
	<del>255</del>		<del>254</del>		<del>250</del>		<del>246</del>		<del>243</del>		<del>239</del>	
237	31	254	32	250	33	246	34	242	35	239	36	232
	<del>232</del>		<del>232</del>		<del>231</del>		<del>231</del>		<del>231</del>		<del>231</del>	

The figures on the lines refer to the page.

Township N. 11 North, Range N. 9 East 2. Mer. Ind.<sup>199</sup>  
ch. 47

South Boundary. var. 7.15. E.

West On S. boundary of Sec. 36

39.00 at Branch 4 1/2 hrs. wide Course S.W.

40.00 Set q. Sec. post, from which  
at Beech 10 in. dia. bray N 10 E 9 1/2 hrs. dist. of  
an Ash 18 " " " N 35 W 7 " "

63.00 at Branch 20 hrs. wide Course S.W.

80.00 Set post Cor. to Sec. 35 of 36, from which  
at Beech 12 in. dia. bray N 71 E 8 1/2 hrs. dist. of  
a No. 10 " " " N 54 E 10 " "

Level land rich soil, timber Beech, Ash, Walnut  
&c. underground Spruce &c.

---

West On S. boundary of Sec. 35

0.15 at Branch 15 hrs. wide Course S.W.

40.00 Set q. Sec. post, from which  
at Beech 20 in. dia. bray N 77 E 16 hrs. dist. of  
a Sugar 15 " " " N 15 W 14 " "

15.00 at Branch 10 hrs. wide Course S.

80.00 Set post, Cor. to Sec. 34 of 35, from which  
a Sugar 20 in. dia. bray N 10 W 13 hrs. dist. of  
an Ash 15 " " " N 87 E 15 " "

Land timber &c. same as on last mile

---

West On S. boundary of Sec. 34

40.00 Set q. Sec. post, from which

at Duckeye 15 in. dia. bray N 4 E 29 hrs. dist. of  
a Beech 10 " " " N 7 E 38 " "

62.25 at Creek 50 hrs. wide Course S.E.

80.00 Set post Cor. to Sec. 33 of 34, from which  
an Ash 10 in. dia. bray N 58 W 12 hrs. dist. of  
a Duckeye 9 " " " N 54 E 27 " "

Land timber &c. same as on last mile

---

West On S. boundary of Sec. 33

40.00 Set q. Sec. post, from which

T.M.N. R9E. 2<sup>d</sup> Mer. IndianaCh. 1<sup>st</sup> 1/4

at Beech 18 in. diam. bray N 24 E 18 lns. dist. of  
 a do. 12 " " " N 16 W 19 " "  
 80.00 Set post Cor. to Sec. 32 of 33, from which  
 a Hickory 18 in. diam. bray N 46 E 8 lns. dist. of  
 an Oak 30 " " " N 25 W 46 " "  
 Land level rather flat, soil good, timber  
 Beech, Poplar, Oak &c. under Spruce

---

West On S. boundary of Sec. 32

40.00 Set of Sec. post, from which  
 an Ash 18 in. diam. bray N 74 W 15 lns. dist. of  
 a Gum 9 " " " N 12 W 8 " "  
 80.00 Set post Cor. to Sec. 31 of 32, from which  
 at Beech 14 in. diam. bray N 10 W 20 lns. dist. of  
 an Ash 8 " " " N 40 E 15 " "  
 Land timber &c. same as on last mile

---

West On S. boundary of Sec. 31

40.00 Set of Sec. post, from which  
 at Beech 32 in. diam. bray N 15 W 5 lns. dist. of  
 a do. 14 " " " N 61 W 21 " "  
 78.25 Intersected the corner of Township 10 of 11  
 North, Range 8 of 9 East. the Bearings are  
 at Beech 18 in. diam. bray N 77 E 11 lns. dist. of  
 an Ash 18 " " " N 45 W 25 " "  
 Land timber &c. same as on last mile  
 June 19<sup>th</sup>. 1819

---

East Boundary. ran. 6<sup>th</sup> 30' E.

North On E. boundary of Sec. 36

14.33 at Beech 30 in. diam.  
 32.65 a Branch 8 lns. wide Course S. W.  
 40.00 Set of Sec. post, from which  
 at Beech 10 in. diam. bray N 16 W 12 lns. dist. of  
 a do. 15 " " " N 15 E 25 " "  
 50.97 at Beech 18 in. diam.

# Mt. C9 E. 2<sup>nd</sup> Mer. Indiana 201

ch<sup>2</sup> 1<sup>st</sup> 1<sup>st</sup>  
 66.60 at Branch 10<sup>th</sup> hr. wide Course S. W.  
 69.10 Same 10 " " " S. E.  
 70.47 Same 10 " " " S. W.  
 80.00 Set post Cor. to Sec. 25 & 36, from which  
 an Elm 8 in. dia. bray N 72° W 13<sup>th</sup> hr. dist. of  
 at Beech 27 " " " N 68° E 20 "  
 Level land, timber Beech, Poplar, Ash &c.  
 underg<sup>g</sup>. Spruce &c. Soil good

---

North On E. boundary of Sec. 25  
 24.45 a Span. Oak 27  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 at Beech 30 in. dia. bray N 83° W 20<sup>th</sup> hr. dist. of  
 an Ash 24 " " " South 35 "  
 53.00 a Buckeye 12 "  
 55.00 a Creek 30<sup>th</sup> hr. wide Course S. W.  
 80.00 Set post Cor. to Sec. 24 & 25, from which  
 at Beech 36 in. dia. bray N 73° E 13<sup>th</sup> hr. dist. of  
 a Do. 12 " " " N 85° W 14 "  
 Land timber &c. Same as on the last mile

---

North On E. boundary of Sec. 24  
 13.55 a Beech 22 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 at Beech 9 in. dia. bray N 10° W 24<sup>th</sup> hr. dist. of  
 at P. Oak 27 " " " N 36° E 14 "  
 80.00 Set post Cor. to Sec. 13 & 24, from which  
 an Ironwood 6 in. dia. bray N 73° W 2<sup>nd</sup> hr. dist. of  
 a Do. 6 " " " N 30° E 8 "  
 Land timber &c. Same as on last mile

---

North On E. boundary of Sec. 13  
 7.80 at Beech 10 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Ash 10 in. dia. bray N 45° W 37<sup>th</sup> hr. dist. of  
 a Do. 12 " " " N 77° E 16 "



202

## T.M.N. 129 E. 2. Mer. Indiana

Ch.P. 1/4

65.72 at Beech 15 in. dia.

80.00 Set post cor. to Sec. 12 & 13, from which  
 a Beech 27 in. dia. bray N 14 E 13 1/4. dist. of  
 a Do. } " " " S 11 W 18 " "  
 Land timber &c. Same as on last mile

North On E. boundary of Sec. 12

27.95 on Ash 15 in. dia.

36.30 at Branch 25 ft. wide Course N.W.

40.00 Set of Sec. post, from which  
 a Beech 10 in. dia. bray S 34 W 16 1/4. dist. of  
 a Do. 12 " " " N 46 E 10 " "

50.00 Same Creek (25 ft. wide) Course N.E.

52.70 Same (25 ft. wide) " N.W.

80.00 Set post cor. to Sec. 1 & 12, from which  
 a Hickory 9 in. dia. bray N 45 E 10 1/4. dist. of  
 a Sugar 8 " " " S 45 W 26 " "  
 Land timber &c. Same as on last mile

North On E. boundary of Sec. 1

13.58 at Beech 20 in. dia.

40.00 Set of Sec. post, from which  
 a Hickory 13 in. dia. bray N 45 E 3 1/4. dist. of  
 an Ash 14 " " " N 86 W 13 " "

60.52 a Maple 12 " "

72.20 Intersected Cor. of Township 11 & 12 North  
 Range 9 & 10 East Set post, from which  
 a Walnut 8 in. dia. bray N 46 W 26 1/4. dist. of  
 a Water Beech 6 " " " N 28 E 33 " "  
 Land timber &c. Same as on last mile

North Boundary var 6. 45 E

West On S. boundary of Sec. 36, T. 12 N. 129 E.

10.50 a Creek 50 ft. wide C.P. S.W.

12.60 a Beech 12 in. dia.

40.00 Set of Sec. post, from which

Sp. N. 129 E. 2<sup>nd</sup> Mer. Indiana 203  
ch. 1/2

a Beech 1/4 in. dia. bray 110 W 20 lbs. dist. of  
a Do 20 " " " N 32 E 23 " "  
46.90 a Beech 20 " "  
80.00 Set post Cor. to Sec. 35 of 36, from which  
a Beech 14 in. dia. bray 133 E 15 lbs. dist. of  
a Do 12 " " " N 83 W 15 " "  
Land timber Beech, Ash, &c. underg<sup>rd</sup>  
Spruce,

---

West On S. boundary of Sec. 35, T12 N. 129 E  
31.35 an Ash 18 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 9 in. dia. bray 145 W 10 lbs. dist. of  
a Do. 9 " " " N 40 E 33 " "

65.45 a Sugar 8 " "  
80.00 Set post Cor. to Sec. 34 of 35, from which  
a Sugar 8 in. dia. bray N 77 E 20 lbs. dist. of  
a Do. 9 " " " N 61 W 32 " "  
Land timber &c. same as on last mile

---

West On S. boundary of Sec. 34, T12 N. 129 E.  
24.10 a Beech 10 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 24 in. dia. bray 149 W 17 lbs. dist. of  
a Sugar 9 " " " N 11 W 20 " "

67.40 an Ash 27 " "  
80.00 Set post Cor. to Sec. 33 of 34 from which  
a Beech 6 in. dia. bray N 24 E 6 lbs. dist. of  
a Do. 18 " " " N 4 W 28 " "  
Land timber &c. same as on last mile

---

West On S. boundary of Sec. 33, T12 N. 129 E.

33.10 a Beech 21 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 15 in. dia. bray N 79 E 14 lbs. dist. of  
a Do. 15 " " " N 46 W 21 " "

204

T.M. R. 9 E, 2<sup>nd</sup> Mer. Indianach<sup>2</sup> l<sup>1</sup>ky.46.80 a Creek 75 l<sup>1</sup>ky. wide Course South80.00 Set post Cor. to Sec. 32 & 33, from which  
a Water Beech 6 m. dist. bray N 81 E 15 l<sup>1</sup>ky. dist. of  
a Beech 6 " " " N 71 W 12 " "  
Rolling land timber Beech, Sugar, Walnut &c  
underg<sup>th</sup> Spruce

West On S. boundary of Sec. 32, T. 2 N. R. 9 E.

25.45 a Sugar 9 m. dist.

40.00 Set q<sup>r</sup>. Sec. post from whicha Beech 9 m. dist. bray N 81 E 25 l<sup>1</sup>ky. dist. of  
a Do. 20 " " " N 89 E 18 " "

42.90 a Beech 14 " "

80.00 Set post Cor. to Sec. 31 & 32, from which  
a Beech 24 m. dist. bray N 16 W 10 l<sup>1</sup>ky. dist. of  
a Do. 18 " " " N 21 W 34 " "  
Sand timber &c. Same as on last mile

West On S. boundary of Sec. 31, T. 2 N. R. 9 E.

3.25 a Branch 5 l<sup>1</sup>ky. wide Cr. S. W.11.00 to Flatrock Creek 200 l<sup>1</sup>ky. wide Cr. S.

27.75 a Beech 12 m. dist.

40.00 Set q<sup>r</sup>. Sec. post, from whicha Beech 20 m. dist. bray N 7 E 14 l<sup>1</sup>ky. dist. of  
a Do. 9 " " " N 8 E 13 " "

78.82 Intersected the N &amp; S. line

(Description of land &amp;c. omitted)

West Boundary

var. 7.00 E.

North On E. boundary of Sec. 36, T. 2 N. R. 8 E.

14.41 a Sugar 33 m. dist.

40.00 Set q<sup>r</sup>. Sec. post, from whicha Walnut 5 m. dist. bray N 76 W 20 l<sup>1</sup>ky. dist. of  
a Beech 6 " " " N 35 E 18 " "

70.55 a Sugar 20 " "

75.00 a Creek 40 l<sup>1</sup>ky. wide Course S. W.

205

*M. N. R. & E. 2<sup>d</sup>. Mer. Indiana*

ch. 1/2  
80.00 Let post Cor. to Sec. 25 & 36, from which  
a Beech 15 in. dia. bray N 8 W 8 lks. dist. of  
a Do. 12 " " " N 15 E 17 " "  
Rich land, level, timber Beech, Sugar, Walnut  
Blue Ash, Poplar &c. undg. Spruce & Pampaw

---

*North On E. boundary of Sec. 25, M. N. R. & E.*

15.00 a Poplar 72 in. dia.

40.00 Let q. Sec. post, from which  
an Elm 20 in. dia. bray N 15 E 12 lks. dist. of  
a Beech 18 " " " West 34 " "

54.45 a Poplar 60 " "

71.50 a Creek 75 lks. wide Corner S. W.

80.00 Let post Cor. to Sec. 24 & 25, from which  
a Beech 18 in. dia. bray S 54 W 16 lks. dist. of  
a Do. 12 " " " N 54 E 8 " "  
Land timber &c. same as on the last mile  
One Chain W. of the line on the above Creek is  
a pretty good mill seat.

---

*North On E. boundary of Sec. 24, M. N. R. & E.*

19.00 a Branch 4 lks. wide C. & E.

27.50 an Ash 18 in. dia.

40.00 Let q. Sec. post, from which  
a Beech — in. dia. bray N 50 W 16 lks. dist. of  
an Ash 24 " " " N 44 W 8 " "

72.26 an Elm 15 " "

80.00 Let post Corner to Sec. 13 & 24, from which  
a Beech 12 in. dia. bray N 64 W 15 lks. dist. of  
a Do. 8 " " " N 40 E 10 " "  
Land level 2<sup>d</sup>. rate, timber Beech, Poplar, Sugar  
Ash, undg. Spruce, Ash & Pampaw

---

*North On E. boundary of Sec. 13, M. N. R. & E.*

16.30 a Beech 24 in. dia.

40.00 Let q. Sec. post, from which



206

T.M.N. R9E. 2<sup>d</sup>. Mer. Indianach. 1<sup>st</sup> 1/2.

an Elm 18 in. dia. - bray N 47° W 18 lns. dist. of  
 a Beech 4 " " " N 81° E 14 " "  
 44.22 an Ash 30 " "  
 67.00 a Branch 4 lns. wide Course N.E.  
 80.00 Let post Cor. to Sec. 12 of 13, from which  
 a Beech 18 in. dia. - bray N 79° W 14 lns. dist. of  
 a Do. 10 " " " N 71° E 36 " "  
 Level land, timber Beech, Ash, Poplar &c.  
 underg<sup>g</sup>. Spruce, Ash & Pawpaw.  
 June 20<sup>th</sup>. 1819

North On E. boundary of Sec. 12, T.M.N. R8E.

5.50 a Branch 4 lns. wide Cr. E.

28.50 Same 5 " " " N.E.

40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Log on 10 in. dia. - bray N 37° E 4 lns. dist. of  
 a Beech 10 " " " N 78° E 15 " "

48.00 a large Creek 250 lns. wide Cr. S. W. (Flat rock)

60.00 a Hickory 18 in. dia.

80.00 Let post, Cor. to Sec. 1 of 12, from which  
 a Beech 20 in. dia. - bray N 21° W 28 lns. dist. of  
 a Do. 15 " " " East 38 " "  
 Land level 1<sup>st</sup> rate, timber Hackberry, Buckeye  
 &c. underg<sup>g</sup>. Spruce & Pawpaw. On the N.W.  
 q<sup>r</sup>. of Sec. 7, T.M.N. R9E. a small improvement  
 on the low grounds

North On E. boundary of Sec. 1, T.M.N. R8E.

7.50 a Branch 4 lns. wide Course E.

15.91 a Beech 24 in. dia.

24.00 a Branch 4 lns. wide Course S.E.

40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Beech 24 in. dia. - bray N 31° E 17 lns. dist. of  
 a Do. 28 " " " N 22° E 40 " "

49.00 a Branch 4 lns. wide Cr. S. W.

62.00 a Do. 15 " " " S. W.

207

Mt. V. C. E. I. Mer. Indiana  
 ch. lly  
 77.00 Set post Cor. to Township 11 & 12 North, of  
 Range 8 & 9 East, from which  
 a Beech 10 in. dia. bears N 55° W 15 lks. dist. &  
 a Do. 24 " " " N 67° E 18 " "  
 Broken land 2<sup>nd</sup> rate, timber Beech, Poplar,  
 Ash &c. and gr<sup>th</sup>. Spice &c. June 20<sup>th</sup> 1819  
 Surveyed by  
 John M. Donald,  
 Deputy Surveyor Comp.

Subdivision. Aug. 11<sup>th</sup> 1819

North Between Sect. 35 & 36  
 40.00 Set q<sup>r</sup>. Sec. post. from which  
 a Beech 10 in. dia. bears N 4° E 13 lks. dist. &  
 a Do. 20 " " " S 51° W 14 " "  
 43.38 a Sugar 30 " "  
 80.00 Set post Corner to Sect. 25, 26, 35 & 36, from which  
 a Maple 30 in. dia. bears S 17° E 21 lks. dist. &  
 an Ash 3 " " " N 50° E 15 " "  
 Land level first 1/2 mile 1<sup>st</sup> rate - last half inclining  
 to wet 2<sup>nd</sup> rate timber Beech Sugar Ash Swamp Oak.  
 much Spice &c.

East On Pradom between Sect. 25 & 36  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.  
 79.00 Intersected the E. boundary 103 lks. E. of post.  
 Land level part wet 2<sup>nd</sup> rate Beech, Ash, Swamp Oak,  
 undergrowth Spice -

West Corrected between Sect. 25 & 36.  
 39.50 Set q<sup>r</sup>. Sec. post. at average dist. from which  
 a Hickory 12 in. dia. bears S 89° E 22 lks. dist. &  
 an Ash 24 " " " N 49° W 19 " "  
 79.00 to Section Corner

North Between Sect. 25 & 26

M. N. R. G. 2<sup>d</sup> Mer. Indiana

Ch. l. h.	
15.50	an Ash 28 in. dia.
40.00	Set of Sec. post. from which a Beech 18 in. dia. bears South 31 lks. dist. & a W. 24 " " " N 69 E 15 " "
48.93	a Beech 20 " " " " " "
57.89	a Stream 20 lks. wide Course W.
80.00	Set post Cor. to Secs. 23, 24, 25 & 26, from which a Beech 15 in. dia. bears S 15 W 13 lks. dist. & an Ash 6 " " " N 48 E 19 " " Land inclining to wet soil first rate Beech, Ash, Poplar - underg <sup>m</sup> Spice
East	On Random between Secs. 24 & 25
40.00	Set temp <sup>y</sup> . of Sec. post
79.76	Intersected the E. boundary at the post. Land level first rate timber Beech Poplar & Ash undergrowth Spice & Pawpaw -
West	Corrected between Secs. 24 & 25.
39.88	Set of Sec. post. at average dist. from which a Hickory 12 in. dia. bears S 50 E 13 lks. dist. & an Ash 13 " " " N 61 W 21 " "
79.76	to Section Corner
North	Between Secs. 23 & 24
4.58	a Beech 13 in. dia.
40.00	Set of Sec. post. from which a Beech 36 in. dia. bears N 76 E 18 lks. dist. & a W. 6 " " " N 75 W 25 " "
60.59	an Ash 9 " " " " " "
63.75	a Brook 15 lks. wide Course S. W.
80.00	Set post Cor. to Secs. 13, 14, 23, 24, from which a Beech 6 in. dia. bears N 65 W 6 lks. dist. & a W. 4 " " " S 31 E 10 " " Land and timber &c. Same as last mile

# 209

## S. M. N. R. E. 2<sup>d</sup>. Mer. Indiana

ch. l. l. h.

East On Prandom between Sect. 13 & 24

40.00 Set temp. of. Sec. post.

81.00 Intersected the E. boundary 43 l. h. S. of post.

Land level first half mile first rate - last 1/4 mile inclining to wet 2<sup>nd</sup> rate timber Beech, Ash, Poplar, S. Oak, much Spice

West Corrected between Sect. 13 & 24

40.50 Set of. Sec. post, at average dist. from which an Ash 6 in. dia. bears S 27° 8 l. h. dist. 4  
a No. 8 " " N 26° 17' 19 " "

81.00 to Section Corner

North Between Sect. 13 & 14

7.06 a Poplar 30 in. dia.

16.17 a Stream 15 l. h. wide course N.

40.00 Set of. Sec. post, from which a Beech 30 in. dia. bears S 20° E 15 l. h. dist. 4  
a No. 4 " " N 40° 11' 33 " "

42.00 a Beech 5 " "

80.00 Set post Cor. to Sect. 11, 12, 13 & 14, from which a Beech 30 in. dia. bears S 45° E 7 l. h. dist. 4  
a No. 8 " " N 67° 11' 25 " "

Land first rate beech Poplar Ash S. Oak &c. undergrowth Spice &c.

East On Prandom between Sect. 12 & 13

40.00 Set temp. of. Sec. post

81.00 Intersected the E. boundary 167 l. h. S. of post.

Land level first rate but scarce of water, Beech Ash Poplar, undergrowth Spice -

West Corrected between Sect. 12 & 13

40.50 Set of. Sec. post, at average dist. from which a Beech 12 in. dia. bears N 88° E 2 l. h. dist. 4  
an Ash 24 " " N 24° 11' 31 " "



M N N 9 E, 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

81.00 to Section Corner

North Between Sect. 11 &amp; 12.

00.65 a Sugar 18 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 24 in. dia. bears S 79 E 16 lks. dist. &  
a No. 20 " " " S 82 W 28 " "

77.50 a Stream 89 lks. wide Course W.

80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which  
a Beech 12 in. dia. bears S 86 E 22 lks. dist. &  
a Sugar 10 " " " S 53 W 10 " "  
Land level first rate - timber Beech Ash Poplar  
undergrowth Spice -

East On Random between Sect. 1 &amp; 12.

1.50 a Stream 80 lks. wide Course W.

9.50 a No. 92 " " " N. W.

32.00 a No. 60 " " " S. W.

34.30 a Spring branch " " " N. W.

40.00 Set temp. of. Sec. post.

81.50 Intersected the E. boundary 3.00 lks. S. of post.  
Land rolling first rate timber Beech Ash Poplar  
undergrowth Spice -

West Corrected between Sect. 1 &amp; 12.

40.75 Set of. Sec. post. at average dist. from which  
a Sugar 8 in. dia. bears N 79 W 16 lks. dist. &  
a Hickory 16 " " " S 89 E 32 " "

81.50 to Section Corner

North Between Sect. 1 &amp; 2

5.55 a Beech 36 in. dia.

40.00 Set of. Sec. post, from which  
an Ash 14 in. dia. bears N 15 W 10 lks. dist. &  
a No. 15 " " " S 15 E 7 " "

40.59 an Ash 15 " "

M

M. N. R. E. D. Mer. Indiana

ch. p. l. h.

66.84 a Stream 7 lvs. wide Course N.

74.19 Intersected the N. boundary 160 lvs. N. of post.  
 Set post cor. to Sect. 1 & 20, from which  
 a Sugar 5 in. dia. bears S 85 W 16 lvs. dist. &  
 a Hickory 10 " " " N 72 E 10 " "  
 Land timber &c. Same as last mile

---

North Between Sect. 34 & 35

40.00 Set q. Sec. post, from which  
 a Beech 36 in. dia. bears S 85 W 31 lvs. dist. &  
 an Ash 20 " " " S 88 E 13 " "

46.86 a Beech 12 " "

80.00 Set post Cor. to Sect. 26 27 34 & 35, from which  
 an Ash 24 in. dia. bears S 42 W 30 lvs. dist. &  
 a Beech 24 " " " N 29 E 5 " "  
 Land level first rate timber Beech Ash Poplar &c.  
 much Spice undergrowth—

---

East On Random between Sect. 26 & 35

40.00 Set temp. q. Sec. post

80.50 Intersected the N. & S. line 51 lvs. S. of post.  
 Land level first half mile first rate—last half with  
 2<sup>d</sup> rate timber Beech, Ash, Hickory, Poplar &c.  
 undergrowth Spice &c.

---

West Corrected between Sect. 26 & 35

40.25 Set q. Sec. post, at average dist. from which  
 a Beech 10 in. dia. bears S 46 W 22 lvs. dist. &  
 a W. 8 " " " N 88 E 30 " "

80.50 To Section Corner

---

North Between Sect. 26 & 27.

21.97 a Stream 30 lvs. wide Course S. W.

36.78 a Beech 14 in. dia.

40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bears N 17 W 23 lvs. dist. &

## M. N. R. G. D. Mer. Indiana

Ch. Lk.

- a Beech 15 in. dia. bears South 25 lks. dist.  
 54.22 a Sugar 40 in "  
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
 a Beech 12 in. dia. bears N 64 E 26 lks. dist. &  
 a Do. 20 " " " N 87 W 5 " "  
 Land level first rate timber Beech, Sugar, Ash,  
 Poplar - much Spice.

East On Random between Sec. 23 &amp; 26

- 40.00 Set temp. q. Sec. post.  
 80.35 Intersected the N. & S. line 177 lks. S. of post.  
 Land timber &c. same as on last mile

West Corrected between Sec. 23 &amp; 26

- 40.17 Set q. Sec. post. at average dist. from which  
 a Sycamore 7 in. dia. bears S 39 E 10 lks. dist. &  
 an Ash 4 " " " N 21 W 10 " "  
 80.35 to Section Corner

North Between Sec. 22 &amp; 23.

- 00.75 a Poplar 60 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Coffee nut 24 in. dia. bears N 41 E 18 lks. dist. &  
 a Hickory 18 " " " S 55 W 33 " "  
 43.64 an Elm 20 " "  
 76.87 a Stream 20 lks. wide course W.  
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 a Beech 7 in. dia. bears S 73 E 9 lks. dist. &  
 a Do. 18 " " " S 70 W 22 " "  
 Land timber same as last mile

East On Random between Sec. 14 &amp; 23.

- 40.00 Set temp. q. Sec. post.  
 53.15 a Stream 15 lks. wide course S.  
 79.30 Intersected the N. & S. line 162 lks. S. of post.  
 Land level first rate timber Beech Ash -

# 213

## Mt. PE. 2<sup>nd</sup> Mer. Indiana

Ch. 1<sup>st</sup> 1/2

Poplar Some Walnut thick undergrowth Spice -

West Corrected between Sect. 14 & 23

39.65 Set of. Sec. post, at average dist. from which  
a Beech 36 in. dia. bears North 28 lh. dist. &  
a No. 18 " " " South 45 " "

79.30 to Section Corner

North Between Sect. 14 & 15

15.96 a Beech 36 in. dia. 1

34.92 a Stream 18 lh. wide Course S.

40.00 Set of. Sec. post, from which  
a Poplar 60 in. dia. bears South 28 lh. dist. &  
a Beech 24 " " " N 6° W 43 " "

48.82 a No. 19 " "

80.00 Set post cor. to Sect. 10, 11, 14 & 15, from which  
a Beech 16 in. dia. bears N 37° W 25 lh. dist. &  
a No. 15 " " " S 21° W 22 " "

Land rolling first rate timber Beech, Poplar, Ash,  
Sugar & much Spice -

East On Plandon between Sect. 11 & 14

40.00 Set temp. of. Sec. post.

79.00 Intersected the N. & S. line 22 lh. S. of post.  
Land level inclining to wet 2<sup>nd</sup> rate Beech, Ash,  
Poplar much Spice -

West Corrected between Sect. 11 & 14

39.50 Set of. Sec. post, at average dist. from which  
a Beech 8 in. dia. bears S 85° E 7 lh. dist. &  
a No. 5 " " " S 25° W 6 " "

79.00 to Section Cor. to Sec

North Between Sect. 10 & 11

09.50 a Poplar 48 in. dia.

40.00 Set of. Sec. post, from which



## Mt. Pleasant Mer. Indiana

Ch. 167

- a Beech 36 in. dia. bears S 20 N 21 lb. dist. 4  
 a Do. 11 " " " N 31 E 22 " "  
 146.91 a Beech 23 " "  
 62.20 a Stream 14 lb. wide Course W.  
 73.00 a Creek 73 " " " S. W. having  
 considerable fall clear wholesome water -  
 80.00 Set post Cor. to Sect. 23, 10 & 11, from which  
 a Walnut 10 in. dia. bears N 40 E 10 lb. dist. 4  
 an Elm 7 " " " S 71 N 7 " "  
 first half mile first rate - last mile rolling  
 first rate Beech Poplar Ash much Spice

East On Random between Sect. 2 &amp; 11

- 3.00 the same Creek Course W.  
 40.00 Set temp. q. Sec. post.  
 52.30 a Creek 80 lb. wide Course W.  
 79.15 Intersected the N. & S. line 15 lb. N. of post  
 Land level first rate timber beech, Poplar, Ash,  
 undergrowth Spice.

West Corrected between Sect. 2 &amp; 11

- 39.57 Set q. Sec. post, at average dist. from which  
 a Sugar 12 in. dia. bears N 35 W 4 lb. dist. 4  
 an Ash 20 " " " S 35 E 10 " "  
 79.15 to Section Corner August 13<sup>th</sup> 1819.

North Between Sect. 2 &amp; 3

- 15.58 a Sugar 5 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Beech 20 in. dia. bears S 72 E 24 lb. dist. 7  
 a Cherry 8 " " " S 66 N 15 " "  
 43.45 a Beech 13 " "  
 75.00 Intersected the N. boundary 75 lb. N. of post  
 Set a post Cor. to Sect. 2 & 3, from which  
 a Beech 25 in. dia. bears S 87 N 27 lb. dist. 4  
 a Do. 30 " " " East 3 " "

ch. l. l. h. *St. R. E. 2<sup>d</sup> Mer. Indiana*

215

Land rolling first rate timber Beech Sugar -  
Ash Poplar & much Spice -

North Between Secs. 33 & 34

37.36 a Walnut 40 in. dia.

40.00 Set of Sec. post. from which  
a Beech 15 in. dia. bears South 8 l. dist. &  
aswp. Oak 7 " " " West 21 " "

58.14 a Beech 14 " "

80.00 Set Cor. to Secs. 27, 28, 33 & 34, from which  
a Sugar 24 in. dia. bears N 62 W 36 l. dist. &  
a Beech 15 " " " S 67 E 22 " "

Land level and rich though Secance of water  
first rate Soil timber Beech, Sugar, Ash, Poplar,  
Walnut much Spice

East On Pradom between Secs. 27 & 34

40.00 Set temp. of Sec. post.

61.75 a Stream 30 l. wide course S.

80.10 Intersected the N. & S. line 29 l. N. of post.  
Land level first rate timber Beech Sugar Ash  
Poplar, Spice &c.

West Corrected between Secs. 27 & 34

40.05 Set of Sec. post. at average dist. from which  
an Elm 36 in. dia. bears N 82 E 12 l. dist. &  
a No. 24 " " " N 77 W 26 " "

80.10 to Section Corner

North Between Secs. 27 & 28

7.04 a Beech 34 in. dia.

40.00 Set of Sec. post. from which  
a Beech 15 in. dia. bears N 23 E 13 l. dist. &  
a No. 24 " " " S 7 W 14 " "

41.75 a Beech 26 " "

80.00 Set post cor. to Secs. 21, 22, 27 & 28, from which

216

T. N. R. & E. 2<sup>d</sup>. Mer. Indiana

ch. lks

an Elm 21 in. dia. bears S 31 W 41 lks. dist. 4  
 a Beech 19 " " " N 54 E 30 " "  
 Land level inclining to west 2<sup>nd</sup> rate Beech  
 Poplar Ash Swamp Oak the timber is large  
 much Spice -

East On Random between Sect. 22 &amp; 27

40.00 Set temp. q. Sec. post.

80.75 Intersected the N. & S. line 23 lks. N. of post  
 Land level first rate Beech Ash Poplar &c.  
 much Spice &c.

West Corrected between Sect. 22 &amp; 27

40.37 Set q. Sec. post. at average dist. from which  
 a Beech 24 in. dia. bears S 77 E 11 lks. dist. 4  
 a No. 18 " " " N 89 W 26 " "

80.75 to Section Corner

August 14<sup>th</sup> 1819

North Between Sect. 21 &amp; 22

12.86 an Ash 27 in. dia.

40.00 Set q. Sec. post. from which  
 a Swp. Oak 40 in. dia. bears N 33 E 27 lks. dist. 4  
 a Beech 24 " " " S 25 W 21 " "

40.67 a Buckeye 13 " "

49.75 a Stream 8 lks. wide Course N. E.

80.00 Set first cor. to Sect. 15, 16, 21 & 22. from which  
 a Beech 6 in. dia. bears S 71 W 4 lks. dist. 4  
 a Walnut 4 " " " S 42 E 5 " "

Land level first rate timber Beech Ash Poplar  
 Sugar Walnut, much Spice &c.

East On Random between Sect. 15 &amp; 22.

12.62 a Stream 28 lks. wide Course N. E.

31.70 a No. 75 " " " S. W.

40.00 Set temp. q. Sec. post.

# Mt. PEGE. 2<sup>d</sup>. Mer. Indiana 217

ch. 4<sup>th</sup>

80.99 Intersected the N. & S. line at the post  
Land broken 2<sup>nd</sup>. rate timber Beech Ash Poplar  
undergrowth Spice &c.

---

West Corrected between Sect. 15 & 22.

40.49 Set of. Sec. post, at average dist. from which  
a Beech 24 in. dia. bears S 77 N 27 lb. dist. &  
a No. 24 " " " N 70 E 47 " "  
80.99 to Section Corner

---

North Between Sect. 15 & 16

17.86 a Stream 20 lb. wide Course N.W.  
19.28 a Sycamore 23 in. dia.  
32.70 a Spring Course W.  
40.00 Set of. Sec. post, from which  
a Sugar 20 in. dia. bears N 2 W 28 lb. dist. &  
a No. 8 " " " South 13 " "  
48.60 a Beech 22 " "  
65.75 a Stream 90 lb. wide Course W.  
80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which  
a Hickory 20 in. dia. bears S 86 E 8 lb. dist. &  
a Beech 16 " " " N 58 W 11 " "  
Land timber &c. Same as last mile

---

East On Random between Sect. 10 & 15

17.04 a Creek 90 lb. wide Course S.W.  
40.00 Set temp. of. Sec. post.  
79.50 Intersected the N. & S. line 77 lb. S. of post.  
Land & timber as on last mile -

---

West Corrected between Sect. 10 & 15

39.75 Set of. Sec. post, at average dist. from which  
a Sugar 16 in. dia. bears S 4 E 16 lb. dist. &  
a No. 8 " " " N 50 E 23 " "  
79.50 to Section Corner

---



M. K. N. G. 2<sup>d</sup>. Mer. Indiana

ch. l. by

North Between Sect. 9 &amp; 10

14.94 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which  
a Buckeye 14 in. dia. bears S 27 E 24 lks. dist. &  
an Ash 24 " " " N 12 W 30 " "

56.89 a Beech 12 " "

80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which  
an Ash 16 in. dia. bears S 14 W 14 lks. dist. &  
a Do. 24 " " " N 11 W 38 " "Land level inclining to wet 2<sup>nd</sup> rate timber Ash  
Beech Poplar Snp. Oak underg<sup>th</sup> Spice -

East On Random between Sect. 3 &amp; 10.

40.00 Set temp<sup>y</sup>. q. Sec. post.79.73 Intersected the N. & S. line 69 lks. S. of post.  
first half mile level inclining to wet 2<sup>nd</sup> rate  
last half mile rolling first rate Beech, Ash,  
Poplar - undergrowth Spice -

West Corrected between Sect. 3 &amp; 10

39.86 Set q. Sec. post, at average dist. from which  
a Beech 7 in. dia. bears S 16 E 26 lks. dist. &  
an Ash 10 " " " N 40 W 36 " "

79.73 to Section Corner

August 15<sup>th</sup> 1819

North Between Sect. 3 &amp; 4.

4.60 a Hickory 13 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 19 in. dia. bears N 61 W 13 lks. dist. &  
a Do. 30 " " " S 13 E 45 lks. dist. &

63.38 a Poplar 60 " "

76.00 Intersected the N. boundary 150 lks. N. of post  
Set post Cor. to Sect. 3 & 4, from which  
a Beech 36 in. dia. bears S 38 E 33 lks. dist. &  
an Ash 24 " " " N 60 W 17 " "

*M. N. R. G. Co. 2<sup>nd</sup> Mer. Indiana* 219  
*ch. lky*  
 Land level first rate beech Poplar Ash some  
 Sugar + undergrowth Spice

---

August 16<sup>th</sup> 1819  
 North Between Sect. 32 & 33.  
 10.50 an Ash 11 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 5 in. dia. bears S 15 E 21 lks. dist. &  
 a Hickory 9 " " " N 39 W 13 " "  
 50.63 a Poplar 60 " "  
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which  
 a Hickory 30 in. dia. bears S 20 E 29 lks. dist. &  
 an Ash 36 " " " N 60 W 11 " "  
 Land level first rate Beech, Ash, Poplar, Walnut.  
 much Spice -

---

East On Random between Sect. 28 & 33.  
 40.00 Set a temp. of. Sec. post.  
 80.50 Intersected the N. & S. line 84 lks. S. of post.  
 Land rich timber same as last mile

---

West Corrected between Sect. 28 & 33  
 40.25 Set of. Sec. post. at averaged dist. from which  
 a Beech 20 in. dia. bears N 40 E 21 lks. dist. &  
 a Do. 15 " " " S 54 W 29 " "  
 80.50 to Section Corner

---

North Between Sect. 28 & 29  
 00.27 an Ash 20 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 12 in. dia. bears S 18 W 21 lks. dist. &  
 a Do. 5 " " " North 41 " "  
 76.10 a Stream 7 lks. wide course S.  
 80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which  
 a Beech 30 in. dia. bears N 46 W 11 lks. dist. &  
 a Do. 9 " " " S 39 E 34 " "

# M. N. R. G. E. 2<sup>d</sup>. Mer. Indiana ch. 6<sup>th</sup>

Land level first rate timber Beech, Ash, Poplar,  
undergrowth Spice—

East On Random between Sec. 21 & 28,

40.00 Set temp. q. Sec. post

79.40 Intersected the N. & S. line 85 lbs. N. of post  
Land level and rich Beech Sugar some Hickory  
much Spice

West Connected between Sec. 21 & 28

39.70 Set q. Sec. post, at average dist. from which  
a Poplar 48 in. dia. bears N 70 W 35 lbs. dist. &  
a Beech 10 " " " N 85 E 32 " "

79.40 to Section Corner

North Between Sec. 20 & 21.

2.40 a Stream 10 lbs. wide Course N. W.

9.94 an Ash 15 in. dia.

40.00 Set q. Sec. post, from which  
an Ash 8 in. dia. bears N 20 W 15 lbs. dist. &  
a No. 16 " " " S 13 W 34 " "

40.25 a Stream 5 lbs. wide Course N. W.

45.50 a Spring course—

80.00 Set post cor. to Sec. 16, 17, 20 & 21, from which  
a Sycamore 24 in. dia. bears N 12 E 24 lbs. dist. &  
an Elm 11 " " " S 8 W 51 " "

first half mile level first rate Land last 1/2  
mile broken with brush hills 2<sup>d</sup>. rate Beech,  
Poplar, Ash, much Spice—

East On Random between Sec. 16 & 21

25.55 a Stream 5 lbs. wide Course W.

40.00 Set temp. q. Sec. post.

79.00 Intersected the N. & S. line 182 lbs. S. of post  
first half mile broken 2<sup>d</sup>. rate last 1/2 level and  
rich Beech Ash Poplar much Spice

# T.M.N. 129 E. 2<sup>d</sup> Mer. Indiana 221

ch. 1<sup>st</sup> 1/2

West Corrected between Sec. 16 & 21.

39.50 Set of Sec. post, at average dist. from which  
a Beech 8 in. dia. bears S 66 W. 23 lbs. dist. &  
a No. 6 " " " N 48 E 24 " "

79.00 to Section Corner

North Between Sec. 16 & 17

4.60 a Creek 68 lbs. wide Course S.W.

14.00 a Beech 30 in. dia.

40.00 Set of Sec. post, from which (an Ironwood 5 in. cor.)  
a Beech 40 in. dia. bears N 46 E 31 lbs. dist. &  
an Ash 6 " " " S 38 E 14 " "

40.31 a Beech 40 " "

80.00 Set post cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 19 in. dia. bears N 63 E 20 lbs. dist. &  
a No. 6 " " " N 46 W 3 " "

Land level 1<sup>st</sup> rate timber Beech Ash Poplar &c.  
undergrowth Spice.

East On Random between Sec. 9 & 16

40.00 Set temp. of Sec. post.

80.00 Intersected the N. & S. line 1.02 lbs. S. of post.  
Land and timber same as last. mile

West Corrected between Sec. 9 & 16

40.00 Set of Sec. post, at average dist. from which  
a Beech 11 in. dia. bears S 34 E 9 lbs. dist. &  
a No. 10 " " " N 29 W 18 " "

80.00 To Section Corner

August 17<sup>th</sup> 1819

North Between Sec. 8 & 9,

31.30 a Beech 7 in. dia.

40.00 Set of Sec. post, from which  
a Beech 8 in. dia. bears N 34 E 8 lbs. dist. &  
a No. 8 " " " S 9 E 23 " "



222 T.M. N.E. 2<sup>d</sup> Mer. Indiana

- ch. lks  
 41.18 a Stream 12 lks. wide Course W.  
 42.20 a Spring branch —  
 78.25 a Beech 26 in. dia.  
 80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which  
 a Beech 12 in. dia. bears S 60 E 14 lks. dist. &  
 a No. 13 " " " S 67 W 12 " "  
 Land level and rich timber Beech, Ash, Poplar,  
 undergrowth Spice very close the timber is of a  
 very large growth

East On Random between Secs. 4 & 9.

- 40.00 Set Temp. of. Sec. post.  
 79.56 Intersected the N. & S. line 50 lks. S. of post.  
 Land timber same as last mile

West Corrected between Secs. 4 & 9

- 39.78 Set of. Sec. post. at average dist. from which  
 a Beech 4 in. dia. bears S 13 E 26 lks. dist. &  
 a No. 12 " " " North 16 " "  
 79.56 to Section Corner

North Between Secs. 4 & 5

- 26.12 a Walnut 19 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 13 in. dia. bears N 60 W 23 lks. dist. &  
 a No. 30 " " " S 37 E 25 " "  
 43.73 a Creek 67 lks. wide Course W.  
 a few poles West of where this line crosses, there is  
 the appearance of an excellent mill seat, this  
 stream is rapid with rocky banks, and bottom  
 having 2 falls within our view, the water is  
 clear and wholesome the Land adjacent of a  
 most luxuriant soil.  
 73.68 a Beech 36 in. dia.  
 77.19 Intersected the N. boundary 16 lks. E. of post.  
 Set post. Cor. to Secs. 4 & 5, from which

*Ms. P. G. 2<sup>d</sup>. Mer. Indiana 223*  
*ch. P. 187*

a Beech 5 in. dia. bears S 38 E 34 lks. dist. &  
 a No. 19 " " " N 40 W 38 " "  
 Land level first rate timber Poplar Ash Beech  
 undergrowth Spruce -

North Between Secs. 31 & 32.

3. 06 a Beech 23 in. dia.  
 40. 00 Set of. Sec. post. from which  
 a Beech 30 in. dia. bears North 50 lks. dist. &  
 a Hackberry 5 " " " S 9 W 12 " "  
 40. 50 a Beech 30 " "  
 70. 67 a Stream 8 lks. wide Course N.  
 80. 00 Set post Cor. to Secs. 29, 30, 31, & 32, from which  
 a Beech 3 in. dia. bears S 43 W 8 lks. dist. &  
 a No. 5 " " " N 11 E 13 " "  
 Land timber as on last mile

East On Prandon between Secs. 29 & 32.

40. 00 Set temp. of. Sec. post.  
 79. 75 Intersected the N. & S. line 36 lks. S. of post.  
 Land timber same as last, mile.

West Corrected between Secs. 29 & 32

39. 87 Set of. Sec. post, at average dist. from which  
 a S. Gum 24 in. dia. bears S 34 E 31 lks. dist. &  
 a Beech 8 " " " N 13 E 39 " "  
 79. 75 to Section Corner

August 18<sup>th</sup> 1819

West Between Secs. 30 & 31.

25. 30 a Beech 11 in. dia.  
 33. 25 a Stream 13 lks. wide Course N. W.  
 40. 00 Set of. Sec. post, from which  
 a Sugar 11 in. dia. bears N 23 W 17 lks. dist. &  
 a Beech 30 " " " S 23 E 28 " "  
 58. 10 a Stream 12 lks. wide Course S. W.

224

M. N. R. G. E. 2.<sup>nd</sup> Mer. Indiana

Ch. Lk.

78.04 Intersected the W. boundary 24 lks. N. of post.  
 Set post Cor. to Sec. 30 & 31, from which.  
 a Beech 12 in. dia. bears S 17° W. 33 lks. dist. &  
 a No. 11 " " " N 31° E 13 " "  
 Land rolling first rate timber Beech Ash Poplar  
 Sycamore undergrowth Spice &c.

---

North Between Sec. 29 &amp; 30.

16.47 a Walnut 36 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Beech 36 in. dia. bears S 23° W 14 lks. dist. &  
 a No. 13 " " " N 23° E 52 " "  
 46.67 a Beech 21 " "  
 80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Beech 27 in. dia. bears S 15° W 9 lks. dist. &  
 a Sugar 4 " " " N 27° E 23 " "  
 Land level inclining to wet 2<sup>nd</sup> rate beech Poplar  
 Ash Sugar undergrowth Spice Pawpaw &c.

---

East On Random between Sec. 20 &amp; 29

40.00 Set temp. q. Sec. post.  
 78.08 a Stream 13 lks. wide Course N. W.  
 80.25 Intersected the N. & S. line 26 lks. N. of post.  
 Land level and rich timber Beech, Poplar, Ash,  
 undergrowth Spice

---

West Corrected between Sec. 20 &amp; 29

46.12 Set q. Sec. post. at average dist. from which  
 a Cherry 15 in. dia. bears S 46° W 36 lks. dist. &  
 an Ash 8 " " " N 59° E 24 " "  
 80.25 to Section Corner

---

West Between Sec. 19 &amp; 30

17.97 an Ash 15 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Cherry 24 in. dia. bears N 75° E 17 lks. dist. &

# 225

## Mt. Rge. 2<sup>nd</sup> Mer. Indiana

ch. P. lky

- a Beech 24 in. dia. bears S 73 W 36 lks. dist.
- 40.70 a No. 7 " "
- 65.00 a Creek 75 lks. wide course S. W.
- 77.18 Intersected the W. boundary 42 lks. S. of post.  
 Set post. Cor. to Sect. 19 & 20, from which  
 a Beech 12 in. dia. bears S 68 E 19 lks. dist. &  
 a No. 15 " " " N 71 W 20 " "  
 this water is rapid with some fall Beech Ash  
 Poplar much Spice -

North Between Sect. 19 & 20.

- 26.37 an Ash 12 in. dist.
- 40.00 Set q. Sect. post, from which  
 a Beech 10 in. dia. bears N 50 E 19 lks. dist. &  
 a No. 21 " " " S 50 W 23 " "  
 50.75 a Creek 6 lks. wide Course W.
- 61.25 a No. — " " " S.
- 72.48 a Sycamore 36 in. dia.
- 80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which  
 a Beech 10 in. dia. bears S 14 W 22 lks. dist. &  
 a No. 12 " " " N 2 W 54 " "  
 Land level first rate timber Beech, Ash, Poplar,  
 undergrowth Spice -

East On Random between Sect. 17 & 20

- 13.50 a Creek 75 lks. wide Course S. W.
- 40.00 Set temp. q. Sect. post.
- 79.56 a creek 90 lks. wide Course S. W.
- 80.50 Intersected the N. & S. line 25 lks. N. of post.  
 this line is along the creek bottoms which are very  
 rich timber Beech, Ash, Poplar, Sycamores -  
 undergrowth Spice.

West Connected between Sect. 17 & 20

- 40.25 Set q. Sect. post, at average dist. from which  
 a Beech 5 in. dia. bears S 69 W 20 lks. dist. &



226 *T.M.N. R.G.E. 2<sup>nd</sup> Mer. Indiana*  
*ch. lks*

a Dogwood 4 in. dia. bears N 42 E 9 lks. dist. &  
 80.50 to Section Corner

August 19<sup>th</sup> 1819

West Between Secs. 18 & 19.

00.77 a Beech 24 in. dia.

40.00 Set of Sec. post. from which

a Beech 8 in. dia. bears N 73 E 12 lks. dist. &  
 an Ash 9 " " " S 41 W 6 " "

65.82 an Ash 24 " "

77.00 Intersected the W. boundary 150 lks. S. of post.

Set post Cor. to Secs. 18 & 19. from which

a Beech 13 in. dia. bears N 33 W 6 lks. dist. &

a Do. 20 " " " S 4 E 40 " "

first half mile rolling 2<sup>nd</sup> rate last half mile  
 level first rate land timber Beech Ash Poplar  
 undergrowth Spice -

North Between Secs. 17 & 18

1.93 a Sugar 6 in. dia.

40.00 Set of Sec. post. from which

a Beech 15 in. dia. bears S 24 E 23 lks. dist. &

an Ash 17 " " " N 50 W 33 " "

80.00 Set post Cor. to Secs. 7, 8, 17 & 18, from which

a Beech 24 in. dia. bears West 9 lks. dist. &

a Do. 8 " " " S 56 E 28 " "

Land some broken 2<sup>nd</sup> rate timber Beech Ash  
 Poplar Cherry undergrowth Spice.

East On Prandoni between Secs. 8 & 17

25.30 a Stream 7 lks. wide course N.W.

40.00 Set temp. of Sec. post

42.62 a Stream 5 lks. wide course W.

59.25 a Spring branch

79.50 Intersected the N. & S. line 300 lks. N. of post.

first half mile broken 2<sup>nd</sup> rate - last half

# M. R. E. 2<sup>d</sup> Mer. Indiana 227

ch. lks

1 mile level first rate timber Beech Ash Poplar  
Sugar and much Spice -

West Corrected between Sect. 8 & 17

39.75 Set of. Sec. post. at average dist. from which  
a Beech 30 in. dia. bears S 30 E 44 lks. dist. &  
a No. 36 " " " N 18 W 24 " "

79.50 to Section Corner

West Between Sect. 7 & 18.

3.54 a Beech 14 in. dia.

30.28 a Stream 10 lks. wide course N.

39.20 a Spring branch -

40.00 Set of. Sec. post. from which  
a Sugar 12 in. dia. bears S 65 E 12 lks. dist. &  
a Beech 10 " " " N 21 W 8 " "

60.60 a Sap. Oak 40 " "

72.00 a Stream 10 lks. wide Course N. E.

77.54 Intersected the N. boundary 226 lks. S. of post.  
Set post cor. to Sect. 7 & 18, from which  
a Beech 5 in. dia. bears S 50 E 14 lks. dist. &  
an Ash 4 " " " N 10 W 11 " "

Land much broken 2<sup>d</sup> rate timber Beech, Ash,  
Poplar, much Spice -

North Between Sect. 7 & 8

30.11 a Stream 20 lks. wide Course S. W.

40.00 Set of. Sec. post. from which  
an Ash 8 in. dia. bears S 88 E 20 lks. dist. &  
a Beech 9 " " " N 84 W 22 " "

43.50 a No. 18 " "

80.00 Set post cor. to Sect. 5, 6, 7 & 8, from which  
a Beech 30 in. dia. bears N 68 W 5 lks. dist. &  
a No. 10 " " " S 68 E 26 " "

Land timber &c. Same as last mile

T.M. R. & E. 2<sup>nd</sup> Mer. Indiana

Ch. P. Lk.

- West Between Sec. 6 & 7  
 15.50 a creek 60 lks. wide course S.  
 37.75 a Beech 15 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 30 in. dia. bears S 30 E 8 lks. dist. &  
 a Buckeye 5 " " " N 42 W 15 " "  
 63.37 flat rock creek 1 1/4 lks. wide course S.  
 Smooth running water  
 77.20 Intersected the W. boundary 300 lks. S. of post.  
 Set post cor. to Sec. 6 & 7, from which  
 a Beech 7 in. dia. bears S 9 E 15 lks. dist. &  
 an Elm 8 " " " N 7 W 23 " "  
 Land broken 2<sup>nd</sup> rate timber Beech, Ash, Sugar,  
 Poplar undergrowth Spice - Pawpaw

East On Random between Sec. 5 &amp; 8

- 40.00 Set of. Sec. post, temporarily  
 79.50 Intersected the N. & S. line 75 lks. E. of post.  
 first half mile broken 2<sup>nd</sup> rate - last half mile  
 level 2<sup>nd</sup> rate timber Beech Ash Poplar W. Ash  
 W. Oak undergrowth Spice

West Corrected between Sec. 5 &amp; 8

- 39.75 Set of. Sec. post. at average dist. from which  
 a Beech 2 1/4 in. dia. bears S 26 E 14 lks. dist. &  
 a Sugar 4 " " " N 17 W 17 " "  
 79.50 to Section Corner. August 21<sup>st</sup>. 1819.

North Between Sec. 5 & 6 Aug. 20<sup>th</sup>. 1819

- 1.78 a Beech 20 in. dia.  
 29.50 a Creek 75 lks. wide course W.  
 40.00 Set of. Sec. post. from which  
 an Ash 30 in. dia. bears N 52 W 34 lks. dist. &  
 an Ash 30 " " " S 38 E 23 " "  
 63.00 a large swamp  
 75.36 Intersected the N. boundary 50 lks. E. of post.

Township N. 9 E. 2. Mer. Indiana 229

ch. 2. lks

Set post Cor. to Sec. 5 & 6. from which  
an Elm 13 in. dia. bears S 48 E 16 lks. dist. &  
an Ironwood 5 " " " S 70 W 9 " "  
Land much broken with creek Hills 2. rate Land  
timber Beech Ash Poplar W. Oak Elm underg.  
Spice - the corner to Sec. 5, 6, 7 & 8 stands about 8  
chains E. of the creek where there is a great  
fall with banks answering for water works

Surveyed, in 1819 By  
John Hendricks  
Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes  
of Township N. 9 North, Range N. 9 East E. Mer. Indiana,  
has been compared with the original notes in this office,  
and found to be correct.

Surveyor General's Office }  
Cincinnati, November 1. 1842 }

William Johnston  
Sur. Genl.